

Status of South Asian Amphibians as assessed during the C.A.M.P. for South Asian Amphibians

Scientific name	Status	Criteria
Adenomus dasi Manamendra-Arachchi & Pethiyagoda, 1998*	CR	B1ab(iii)+2ab(iii)
Adenomus kandianus (Gunther, 1872)*	EX	
Adenomus kelaartii (Gunther, 1858)*	EN	B1ab(i,ii)
Amolops chakratensis Ray, 1992	DD	
Amolops formosus (Gunther, 1875)	LC	
Amolops gerbillus (Annandale, 1912)	LC	
Amolops jaunsari Ray, 1992	DD	
Amolops marmoratus (Blyth, 1855)	LC	
Amolops monticola (Anderson, 1871)	VU	B2ab (ii,iv)
Amolops viridimaculatus (Jiang, 1983)	NE	
Ansonia ornata Gunther, 1875*	VU	B2ab(i,ii,iii)
Ansonia rubigina Pillai & Pattabiraman, 1981*	VU	D2
Bufo atukoralei Bogert & Senanayake, 1966*	LC	
Bufo beddomii Gunther, 1875*	VU	B2ab(iii)
Bufo brevirostris Rao, 1937*	CR	B1ab(iii)
Bufo himalayanus Gunther, 1864	LC	
Bufo hololius Günther, 1875*	VU	B1ab(iii)
Bufo kotagamai Fernando, Dayawansa & Siriwardhana, 1994*	EN	B1ab(ii,iii)+2ab(ii,iii)
Bufo koynayensis Soman, 1963*	EN	B1ab(iii)+2ab(iii)
Bufo latastii Boulenger, 1882	EN	B2ab(iii)
Bufo macrotis Boulenger, 1887	LC	
Bufo melanostictus Schneider,	LC	
Bufo melanostictus Schneider, 1799	LC	
Bufo microtypanum Boulenger, 1882*	VU	B2ab(iii)
Bufo noellerti Manamendra-Arachchi & Pethiyagoda, 1998*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
Bufo olivaceus Blanford, 1874	DD	
Bufo parietalis Boulenger, 1882*	VU	B2ab(iii)
Bufo scaber Schneider, Indian population	VU	B2ab(iii)
Bufo scaber Schneider, Sri Lankan Population	LC	
Bufo siachinensis Khan, 1997 *	DD	
Bufo silentvalleyensis Pillai, 1982*	VU	D2
Bufo stomaticus Lutken, Indian population	LC	
Bufo stomaticus Lutken, Sri Lankan population	NE	
Bufo stuarti Smith, 1929	DD	
Bufo surdus Boulenger, 1871 *	DD	
Bufoides meghalayanus (Yazdani & Chanda, 1971)	EN	B1b(iii)
Chaparana sikimensis (Jerdon, 1870)	NT	
Chirixalus doriae Boulenger, 1893	DD	
Chirixalus dudhwaensis Ray, 1992	DD	
Chirixalus simus Annandale, 1915	LC	
Chirixalus vittatus (Boulenger, 1887)	LC	
Euphlyctis cyanophlyctis (Schneider,) Sri Lankan pop	LC	
Euphlyctis cyanophlyctis Dubois, Indian population	LC	
Euphlyctis hexadactylus (Lesson,) Sri Lankan population	LC	
Euphlyctis hexadactylus Lesson, Indian population	LC	
Fejervarya andamanensis (Stoliczka,) *	EN	B1ab(iii)
Fejervarya brevipalmatus (Peters, 1871)*	VU	B2ab(i,ii,iii)
Fejervarya cancrivorus (Gravenhorst,)	EN	B1ab(iii)2ab(iii)
Fejervarya greenii (Boulenger, 1904)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
Fejervarya keralensis (Dubois, 1980)*	LC	

Scientific name	Status	Criteria
<i>Fejervarya kirtisinghei</i> (Manamendra-Arachchi & Gabadage, 1996)*	LC	
<i>Fejervarya limnocharis</i> (Gravenhorst) Indian population	LC	
<i>Fejervarya limnocharis</i> (Gravenhorst) Sri Lankan pop	LC	
<i>Fejervarya murthii</i> (Pillai, 1979)*	CR	B1ab(i,ii,iii)
<i>Fejervarya mysorensis</i> (Rao, 1922)*	DD	
<i>Fejervarya nepalensis</i> (Dubois, 1975)*	LC	
<i>Fejervarya nilagiricus</i> (Jerdon, 1853)*	EN	B2ab(i,ii,iii)
<i>Fejervarya orissaensis</i> Dutta, 1992 *	LC	
<i>Fejervarya parambikulamana</i> (Rao, 1937)*	DD	
<i>Fejervarya pierrei</i> (Dubois, 1975) *	LC	
<i>Fejervarya syhadrensis</i> (Annandale, 1919)	LC	
<i>Fejervarya teraiensis</i> (Dubois, 1975) *	LC	
<i>Gegeneophis carnosus</i> (Beddome, 1870)*	EN	B2ab(i,ii,iii)
<i>Gegeneophis fulleri</i> (Alcock, 1904)	DD	
<i>Gegeneophis krishni</i> Pillai & Ravichandran, 1999*	EN	B1ab(iii)+2ab(iii)
<i>Gegeneophis ramsawamii</i> Taylor, 1964*	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Hoplobatrachus crassus</i> (Jerdon) Indian population	NT	
<i>Hoplobatrachus crassus</i> (Jerdon) Sri Lankan pop	LC	
<i>Hoplobatrachus tigerinus</i> (Daudin) Indian population	LC	
<i>Hoplobatrachus tigerinus</i> (Daudin) Sri Lankan Population	NE	
<i>Hyla annectans</i> (Jerdon, 1870)	LC	
<i>Ichthyophis beddomei</i> Peters, 1879*	VU	B2ab(ii,iii)
<i>Ichthyophis bombayensis</i> Taylor, 1960*	CR	B2ab(i,ii,iii)
<i>Ichthyophis garoensis</i> Pillai & Ravichandran, 1999	LC	
<i>Ichthyophis glutinosus</i> (Linnaeus, 1758)*	VU	B1ab(i,ii,iii) + 2ab(i,ii,iii)
<i>Ichthyophis husaini</i> Pillai & Ravichandran, 1999	DD	
<i>Ichthyophis longicephalus</i> Pillai, 1986*	EN	B2ab(i,ii,iii)
<i>Ichthyophis malabarensis</i> Taylor, 1960*	EN	B2ab(i,ii,iii)
<i>Ichthyophis orthoplicatus</i> Taylor, 1965*	EN	B1ab(i,ii,iii)
<i>Ichthyophis peninsularis</i> Taylor, 1960*	EN	B2ab(ii,iii)
<i>Ichthyophis pseudangularis</i> Taylor, 1965*	EN	B1ab(i,ii,iii)
<i>Ichthyophis sikkimensis</i> Taylor, 1960	DD	
<i>Ichthyophis subterrestris</i> Taylor, 1960*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Ichthyophis tricolor</i> Taylor, 1960*	VU	B2ab(iii)
<i>Indirana beddomii</i> (Gunther, 1875)*	VU	B2ab(i,ii,iii)
<i>Indirana brachytarsus</i> (Gunther, 1875)*	EN	B2ab(i,ii,iii)
<i>Indirana diplosticta</i> (Gunther, 1875)*	VU	B1ab(i,ii,iii)+2ab
<i>Indirana gundia</i> (Dubois, 1986)*	DD	
<i>Indirana leptodactyla</i> (Boulenger, 1882)*	VU	B1ab(i,ii,iii)+2ab
<i>Indirana longicrus</i> (Rao, 1937)*	DD	
<i>Indirana phrynoderma</i> (Boulenger, 1882)*	CR	B1ab(iii)+2ab(iii)
<i>Indirana semipalmata</i> (Boulenger, 1882)*	VU	B1ab(i,ii,iii)+2ab
<i>Indirana tenuilingua</i> (Rao, 1937)*	DD	
<i>Indotyphlus battersbyi</i> Taylor, 1960*	EN	B2ab(i,ii,iii)
<i>Kalophrynus orangensis</i> Dutta, Ahmed & Das, 2000	CR	B1ab(iv)+2ab(iv)
<i>Kaloula baleata goshi</i> (Muller) *	DD	
<i>Kaloula pulchra</i> Gray, 1831	LC	
<i>Kaloula taprobanica</i> (Parker,) Indian population	LC	
<i>Kaloula taprobanica</i> (Parker,) Sri Lankan population	LC	
<i>Lankanectes corrugata</i> (Peters, 1863)*	LC	
<i>Leptobranchium smithii</i> Matsui, Nabhitabhata & Panha, 1999	VU	B1ab(iii)+2ab(iii)

Scientific name	Status	Criteria
<i>Limnonectes doriae</i> (Boulenger)	EN	B1ab(iii)+2ab(iii)
<i>Limnonectes ghoshi</i> (Chanda, 1990)	DD	
<i>Limnonectes kuhlii</i> (Tschudi, 1838)	DD	
<i>Limnonectes laticeps</i> (Boulenger, 1882)	DD	
<i>Limnonectes macrodon</i> (Duméril and Bibron, 1841)	DD	
<i>Limnonectes mawlyndipi</i> (Chanda, 1990)	DD	
<i>Limnonectes mawphlangensis</i> (Pillai & Chanda, 1977)	DD	
<i>Limnonectes sauriceps</i> (Rao, 1937)*	DD	
<i>Limnonectes shompenorum</i> Das, *	NE	
<i>Megophrys boettgeri</i> (Boulenger, 1899)	LC	
<i>Megophrys glandulosa</i> (Boulenger, 1890)	NE	
<i>Megophrys kempii</i> (Annandale, 1912)	DD	
<i>Megophrys major</i> (Boulenger, 1908)	LC	
<i>Megophrys parva</i> (Boulenger, 1893)	LC	
<i>Megophrys robusta</i> (Boulenger, 1908)	DD	
<i>Megophrys wuliangshanensis</i> Ye and Fei, 1995	NE	
<i>Melanobatrachus indicus</i> Beddome, 1878*	EN	B1ab(iii)+2ab(iii)
<i>Micrixalus fuscus</i> (Boulenger, 1882)*	VU	B2ab(i,ii,iii)
<i>Micrixalus gadgili</i> Pillai & Pattabiraman, 1990*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Micrixalus kottigeharensis</i> (Rao, 1937)*	DD	
<i>Micrixalus narainensis</i> (Rao, 1937)*	DD	
<i>Micrixalus nudis</i> Pillai, 1978*	VU	B1ab(i,ii,iii)+B2ab(i,ii,ii)
<i>Micrixalus phyllophilus</i> (Jerdon, 1853)*	EN	B2ab(i,ii,iii)
<i>Micrixalus saxicola</i> (Jerdon, 1853)*	EN	B2ab(i,ii,iii)
<i>Micrixalus silvaticus</i> (Boulenger, 1882)*	VU	D2
<i>Micrixalus swamianus</i> (Rao, 1937)*	DD	
<i>Micrixalus thampii</i> Pillai, 1981*	VU	D2
<i>Microhyla berdmorei</i> (Blyth, 1856)	LC	
<i>Microhyla chakrapanii</i> Pillai, *	VU	D2
<i>Microhyla heymonsi</i> Vogt,	CR	B1a,2a
<i>Microhyla karunaratnei</i> Fernando & Siriwardhane, 1996*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Microhyla ornata</i> (Dumeril & Bibron,) Indian subpop	LC	
<i>Microhyla ornata</i> (Dumeril & Bibron,) Sri Lankan subpop	LC	
<i>Microhyla rubra</i> Jerdon, Indian population	NT	
<i>Microhyla rubra</i> Jerdon, Sri Lankan subpop	LC	
<i>Microhyla sholigari</i> Dutta & Ray, 2000*	EN	B1ab(iii) + B2ab(iii)
<i>Microhyla zeylanica</i> Parker & Hill, 1948*	VU	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Micryletta inornata</i> (Boulenger,) *	CR	B1a,2a
<i>Minervarya sahyadris</i> Dubois, Ohler & Biju, 2001*	EN	B1ab(iii)+2ab(iii)
<i>Nannophrys ceylonensis</i> Gunther, 1869*	VU	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Nannophrys guentheri</i> Boulenger, 1882*	EX	
<i>Nannophrys marmorata</i> Kirtisinghe, 1946*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Nanorana parkeri</i> (Stejneger, 1927)	LC	
<i>Nyctibatrachus aliciae</i> Inger, Shaffer, Koshy & Bakde, 1984*	EN	B2ab(i,ii,iii)
<i>Nyctibatrachus beddomii</i> (Boulenger, 1882)*	VU	B1ab(i,ii,iii)+2ab
<i>Nyctibatrachus deccanensis</i> Dubois, 1984*	EN	B1ab(i,ii,iii)
<i>Nyctibatrachus humayuni</i> Bhaduri & Kripalani, 1955*	EN	B2ab(i,ii,iii)
<i>Nyctibatrachus hussaini</i> Krishnamurthy, Reddy & Gururaja, 2001*	VU	D2
<i>Nyctibatrachus kempholeyensis</i> (Rao, 1937)*	DD	
<i>Nyctibatrachus major</i> Boulenger, 1882*	LC	
<i>Nyctibatrachus minor</i> Inger, Shaffer, Koshy & Bakde, 1984*	VU	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Nyctibatrachus sanctipalustris</i> (Rao, 1920)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)

Scientific name	Status	Criteria
<i>Nyctibatrachus sylvaticus</i> Rao, 1937*	DD	
<i>Nyctibatrachus vasanthi</i> Ravichandran, 1997*	VU	D2
<i>Occidozyga lima</i> (Gravenhorst, 1829)	DD	
<i>Paa annandalii</i> (Boulenger, 1920)	NT	
<i>Paa blanfordii</i> (Boulenger, 1882)	VU	B1ab(i,iv)+2ab(ii,iv)
<i>Paa ercepeae</i> (Dubois, 1974) *	EN	B1ab(ii,iv)+2ab(iv)
<i>Paa hazarensis</i> (Dubois & Khan, 1979) *	DD	
<i>Paa liebighii</i> (Gunther, 1860)	LC	
<i>Paa minica</i> (Dubois, 1975)	VU	B1b (i,ii)
<i>Paa mokochungensis</i> (Das & Chanda, 2000)	DD	
<i>Paa polunini</i> (Smith, 1951) *	LC	
<i>Paa rarica</i> Dubois, Ohler, Matsui, 2000 *	CR	B1a,2a
<i>Paa rostandi</i> (Dubois, 1974) *	VU	B1ab(iv)+2ab(iv)
<i>Paa sternosignata</i> (Murray, 1885)	LC	
<i>Paa vicina</i> Stoliczka, 1872	LC	
<i>Pedostibes kempfi</i> (Boulenger, 1919)	DD	
<i>Pedostibes tuberculosus</i> Gunther, 1875*	VU	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Phialutus Madawa</i> *	DD	
<i>Philautus adspersus</i> (Gunther, 1872)*	EX	
<i>Philautus Ambewela-Brown green</i> *	EN	B1a (ii,iii)+2ab(ii,iii)
<i>Philautus Angammadila</i> *	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus annandalii</i> (Boulenger, 1906)	LC	
<i>Philautus Anthropogenic Yellow-vent</i> *	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus Basal Museum</i> *	EX	
<i>Philautus beddomii</i> (Gunther, 1876)*	EN	B1ab(iii)+2ab(iii)
<i>Philautus Blue inguinal-zone</i> *	CR	B1ab(ii,iii)+2ab(ii, iii)
<i>Philautus bombayensis</i> (Annandale, 1919)*	VU	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus Brown-dorsum</i> *	VU	D2
<i>Philautus chalazodes</i> (Gunther, 1875)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Philautus charius</i> Rao, 1937*	DD	
<i>Philautus cherrapunjiae</i> Roonwal & Kripalani, 1961	DD	
<i>Philautus Curl Leaf</i> *	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus dimbullae</i> (Shreve, 1940)*	EX	
<i>Philautus Diwulgahapathana Macropus</i> *	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus dubius</i> (Boulenger, 1882)	DD	
<i>Philautus eximius</i> Shreve, 1994*	EX	
<i>Philautus femoralis</i> (Gunther,) Indian population	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus femoralis</i> (Gunther,) Sri Lankan population	EN	B1ab(iii)+2ab(iii)
<i>Philautus fergusonianus</i> (Ahl, 1927)*	EN	B1ab(i,ii,iii)
<i>Philautus flaviventris</i> (Boulenger, 1882)*	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus Gannoruwa-Nasutus</i> *	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus garo</i> (Boulenger, 1919)	EN	B1b(ii)
<i>Philautus glandulosus</i> (Jerdon, 1853)*	VU	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Philautus Grandisoni</i> *	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus halyi</i> Boulenger, 1904*	EX	
<i>Philautus Handapan Ella-microtympanum</i> *	CR	B1ab(iii)
<i>Philautus Haycock Variegated</i> *	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus Hiniduma Ridged</i> *	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus Horton Plains</i> *	VU	D2
<i>Philautus hypomelas</i> (Gunther, 1876)*	EX	
<i>Philautus Infraorbital White Spot</i> *	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus Kelumi</i> *	CR	B1ab(ii,iii)+2ab(ii,iii)

Scientific name	Status	Criteria
<i>Philautus kempiae</i> (Boulenger, 1919)	DD	
<i>Philautus</i> Knuckles-Ferguson*	CR	B1ab(iii)+2ab(iii)
<i>Philautus</i> Kottawa-Orange Canthal*	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus leucorhinus</i> (Lichtenstein & Martens, 1856)*	EX	
<i>Philautus</i> Malabe*	LC	
<i>Philautus malcolmsmithi</i> (Ahl, 1927)*	EX	
<i>Philautus microdiscus</i> (Annandale, 1912)	DD	
<i>Philautus microtyimpanum</i> (Gunther, 1858)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Philautus</i> Moray Yellow-brown*	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus</i> Morningside - Dark Green*	CR	B1ab(iii)
<i>Philautus</i> Morningside Bush-brown*	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus</i> Morningside Theloderma*	CR	B1ab(ii,iii)
<i>Philautus</i> Morningside-big Eye*	CR	B1ab(ii,iii)
<i>Philautus namdaphaensis</i> Sarkar & Sanyal, 1985	DD	
<i>Philautus nanus</i> (Gunther, 1869)*	EX	
<i>Philautus nasutus</i> (Gunther, 1868)*	EX	
<i>Philautus oxyrhynchus</i> 39 Gunther, 1872*	EX	
<i>Philautus pleurotaenia</i> (Boulenger, 1904)*	DD	
<i>Philautus</i> Rock Venter Brown*	VU	B1ab(ii,iii)
<i>Philautus rugatus</i> (Ahl, 1927)*	EX	
<i>Philautus sanctisilvaticus</i> Das & Chanda, 1997	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus sarasinorum</i> (Muller, 1887)*	DD	
<i>Philautus shillongensis</i> Pillai & Chanda, 1973	CR	B1ab (iii,iv,v)
<i>Philautus shyamrupus</i> Chanda & Ghosh, 1998	DD	
<i>Philautus signatus</i> (Boulenger, 1882)*	VU	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus</i> Sinharaja-nasutus**	VU	D2
<i>Philautus temporalis</i> (Gunther,) Indian population	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus temporalis</i> (Gunther,) Sri Lankan population	EX	
<i>Philautus terebrans</i> Das & Chanda*	DD	
<i>Philautus tinniens</i> (Jerdon, 1853)*	CR	B1ab(ii,iii)+2ab(ii,iii)
<i>Philautus travancoricus</i> (Boulenger, 1891)*	VU	D2
<i>Philautus tuberculatus</i> (Anderson, 1879)	LC	
<i>Philautus variabilis</i> (Gunther,) Indian pop	VU	B1ab(i,ii,iii)+2ab
<i>Philautus variabilis</i> (Gunther,) Sri Lankan population	EX	
<i>Philautus</i> Venter –Yellow*	CR	B1ab(ii,iii)
<i>Philautus wynaadensis</i> (Jerdon, 1853)*	EN	B12ab(ii,iii)+2ab(ii,iii)
<i>Philautus zimmeri</i> Ahl, 1927*	DD	
<i>Phrynoglossus borealis</i> (Annandale, 1912)	VU	B1ab(iv)+2ab(iv)
<i>Polypedates cruciger</i> Blyth, 1852*	LC	
<i>Polypedates eques</i> Gunther, 1858*	EN	B1ab(i,ii,iii)
<i>Polypedates fastigo</i> Manamendra-Arachchi & Pethiyagoda, 2001*	CR	B1ab(ii,iii)
<i>Polypedates himalayensis</i> (Annandale, 1912)	LC	
<i>Polypedates insularis</i> Das, *	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Polypedates leucomystax</i> (Gravenhorst, 1829)	DD	
<i>Polypedates longinasus</i> (Ahl, 1927)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Polypedates maculatus</i> (Gray,) Indian population	LC	
<i>Polypedates maculatus</i> Gunther, Sri Lankan pop	LC	
<i>Polypedates megacephalus</i> Hallowell, 1861	NE	
<i>Polypedates naso</i> (Annandale, 1912)	LC	
<i>Polypedates pseudocruciger</i> Das & Ravichandran, 1998*	VU	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Polypedates taeniatus</i> (Boulenger, 1906)	LC	
<i>Polypedates zed</i> (Dubois, 1986) *	EN	B1b (i,ii)

Scientific name	Status	Criteria
<i>Polypedatus rugatus</i> (Ahl, 1927)*	EX	
<i>Ramanella anamalaiensis</i> Rao, 1937*	DD	
<i>Ramanella minor</i> Rao, 1937*	DD	
<i>Ramanella montana</i> (Jerdon, 1854)*	NT	
<i>Ramanella mormorata</i> Rao, 1937*	EN	B1ab(ii,iii)+2ab(ii,iii)
<i>Ramanella nagaoui</i> Manamendra- Arachchi & R. Pethiyagoda, 2001*	VU	D2
<i>Ramanella obscura</i> (Gunther, 1864)*	LC	
<i>Ramanella palmata</i> Parker, 1934*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Ramanella triangularis</i> (Günther, 1875)*	VU	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Ramanella variegata</i> (Stoliczka,) Indian population	NT	
<i>Ramanella variegata</i> (Stoliczka,) Sri Lankan population	LC	
<i>Rana</i> (<i>Sylvirana</i>) <i>temporalis</i> (Gunther,) – WG & SL	LC	
<i>Rana</i> (<i>Sylvirana</i>) <i>aurantiaca</i> Boulenger, Indian population	LC	
<i>Rana</i> (<i>Sylvirana</i>) <i>aurantiaca</i> Boulenger, Sri Lankan pop	LC	
<i>Rana alticola</i> Boulenger, 1882	LC	
<i>Rana chalconota</i> (Schlegel,)	VU	D2
<i>Rana charlesdarwini</i> ? *	VU	D2
<i>Rana chitwanensis</i> Das, 1998 *	DD	
<i>Rana curtipes</i> Jerdon, 1853*	LC	
<i>Rana danieli</i> Pillai & Chanda, 1977	LC	
<i>Rana erythraea</i> (Schlegel, 1837)	LC	
<i>Rana garoensis</i> Boulenger, 1920	DD	
<i>Rana gracilis</i> Gravenhorst, 1829*	LC	
<i>Rana humeralis</i> Boulenger, 1887	DD	
<i>Rana khare</i> Kiyasetuo & Khare, 1986	VU	B1ab(iv)+2ab(iv)
<i>Rana leptoglossa</i> (Cope, 1868)	VU	B1ab(iv)+2ab(iv)
<i>Rana livida</i> (Blyth, 1855)	LC	
<i>Rana malabarica</i> Tschudi, 1838*	LC	
<i>Rana nicobarensis</i> (Stoliczka, 1870)	EN	B1ab(iii)+2ab(iii)
<i>Rana nigrovittata</i> (Blyth, "1855" 1856)	DD	
<i>Rana ridibunda</i> Pallas, 1771	DD	
<i>Rana senchalensis</i> Chanda, 1986	DD	
<i>Rana taipehensis</i> Van Denburgh, 1909	LC	
<i>Rana temporalis</i> (Gunther,) Sri Lankan pop	LC	
<i>Rana temporalis</i> Gunther, Indian population	LC	
<i>Rana travancorica</i> Annandale, 1910*	DD	
<i>Rhacophorus appendiculatus</i> (Gunther, 1859 "1858")	DD	
<i>Rhacophorus bipunctatus</i> Ahl, 1927	DD	
<i>Rhacophorus bisacculus</i> Taylor, 1962	LC	
<i>Rhacophorus calcadensis</i> Ahl, 1927*	EN	B2ab(ii,iii)
<i>Rhacophorus cavirostris</i> (Gunther, 1868)*	EN	B1ab(i,ii,iii)
<i>Rhacophorus gongshanensis</i> (Yang and Su, 1984)	NE	
<i>Rhacophorus gongshanensis</i> (Yang and Su, 1984)	NE	
<i>Rhacophorus lateralis</i> Boulenger, 1883*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Rhacophorus macropus</i> (Gunther, 1868)*	CR	B1ab(ii,iii)
<i>Rhacophorus malabaricus</i> Jerdon, 1870*	NT	
<i>Rhacophorus maximus</i> Gunther, 1858	NT	
<i>Rhacophorus namdaphaensis</i> Sarkar & Sanyal, 1985	EN	B1ab(iv)
<i>Rhacophorus pseudomalabaricus</i> Vasudevan & Dutta, 2000*	CR	B1ab(ii,iii,v)
<i>Rhacophorus reticulatus</i> (Gunther, 1864)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
<i>Rhacophorus tuberculatus</i> (Anderson, 1871)	EN	B2ab (i,ii,iii, iv)
<i>Rhacophorus variabilis</i> (Jerdon, 1853)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)

Scientific name	Status	Criteria
Scutigera bhutanensis Delorme & Dubois *	DD	
Scutigera boulengeri (Bedriaga, 1898)	VU	B1ab(iii)
Scutigera nepalensis Dubois, 1974 *	VU	B1ab(iii)+B2ab(iii)
Scutigera nyingchiensis Fei, 1977	LC	
Scutigera sikimensis (Blyth, 1854)	LC	
Sphaerotheca breviceps (Schneider) Indian pop	LC	
Sphaerotheca breviceps (Schneider) Sri Lankan pop	LC	
Sphaerotheca dobsoni (Boulenger) *	LC	
Sphaerotheca leucorhynchus (Rao, 1937)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
Sphaerotheca maskeyi (Schleich & Anders, 1998) *	LC	
Sphaerotheca rolandae (Dubois, 1983)*	LC	
Sphaerotheca rufescens (Jerdon, 1853)*	LC	
Sphaerotheca strachani (Murray, 1884) *	DD	
Sphaerotheca swani (Myers & Leviton, 1956) *	DD	
Taylorana hascheana (Stoliczka,)	DD	
Theloderma asperum (Boulenger, 1886)	EN	B2ab(ii,iv)
Theloderma moloch (Annandale, 1912)	EN	B1ab(iv)+2ab(iv)
Theloderma schmarda (Kelaart, 1854)*	EN	B1ab(i,ii,iii)+2ab(i,ii,iii)
Tylototriton verrucosus Anderson, 1871	NT	
Uperodon globulosus (Gunther, 1864)	LC	
Uperodon systema (Schneider, 1799)	LC	
Uraeotyphlus interruptus Pillai & Ravichandran, 1999*	CR	B1ab(iii)+2ab(iii)
Uraeotyphlus malabaricus (Beddome, 1870)*	EN	B2ab(ii,iii)
Uraeotyphlus menoni Annandale, 1913*	EN	B1ab(ii,iii)+2ab(ii,iii)
Uraeotyphlus narayani Seshachar, 1939*	EN	B2ab(ii,iii)

* endemic to South Asia

Status	No. of species
EX	17
CR	32
EN	71
VU	52
NT	9
LC	81
DD	63
NE	9
Total	334